



Town of Surfside Beach
2006 IECC Zone 3 or 3A Requirements
 Tel: 843-913-6341 Fax: 843-839-0057

PROPERTY & CONTRACTOR INFORMATION

Property Address _____

City/State/Zip _____

Builder / Remodeler _____

Address _____

City/State/Zip _____

Contractor Telephone _____

_____ **New Construction**
 _____ **Remodel description:** _____

I hereby certify that the above project will meet or exceed the minimum requirements of 2006 IECC by utilizing the following measures:

2006 IECC Zone 3 or 3A Requirements	Project Specification
Window $U \leq 0.65$	
Windows (Low E) $SHGC \leq 0.40$	
Skylight $U \leq 0.65$	
Doors $U \leq 0.65$	
Ceiling Insulation R-30	
Wall Insulation R-13	
Floor Insulation R-19	
Crawl R-5 continuous / R-13 cavity	
HVAC Efficiency Rating	
HVAC sized in accordance with Manual J	
Heat pumps have adaptive recovery thermostats	
Duct insulation R-8 in unconditioned space & R-6 in floor trusses	
Ducts sealed to be substantially airtight	
Water Heater Efficiency Rating	
Building Envelope – air sealing	
Recessed Cans – IC	
Pipes carrying fluids above 105F insulated to R-2	

Note: If any project specification does not meet the minimum IECC requirements, then a RESCheck or other approved simulation model must be performed and submitted with the permit application.

_____ Signature

_____ Date