



Planning, Building & Zoning Department Accessory Structure Permit Submittal Requirements

Must Be Submitted Before Plan can be reviewed:

Forms can be printed from www.surfsidebeach.org

A **Survey** must be submitted by owner or applicant. The following must be indicated:

- ❑ Exact location, dimensions and setbacks of all existing and proposed buildings and all impervious surfaces on the lot (i.e. patios, sidewalks, driveways, etc.).

In addition to the survey, the following must be submitted.

- ❑ **If accessory structure is over 120 sq. ft. but less than 200 sq. ft.** a letter from a SC licensed engineer must be submitted with the application stating the proposed accessory structure will not have an adverse impact on the surrounding properties.
- ❑ **If accessory structure is 200 sq. ft. or more** Three (3) sets of full stormwater plans designed by a SC licensed engineer must be submitted with application.
- ❑ Stormwater Impervious Surface Calculations worksheet must be completed with all existing and proposed buildings and impervious surfaces on the lot (i.e. patios, sidewalks, driveways, etc.).
- ❑ Stormwater Practices Permanent Maintenance Covenants (**recorded with Horry County**)
- ❑ All accessory structures/garages must have an engineered plans if over 200 sq. ft.

In Special Flood Hazard Areas:

Not Allowed in VE or Coastal A zones.

- ❑ AE Zones: No larger than one (1) story and 600 square feet in area. Shall provide a minimum of two (2) openings on different walls having a total net area of not less than one (1) square inch for every square foot of enclosed area subject to flooding

I understand the process for obtaining a building permit may take up to 2 weeks. If plans require revisions to be made, I further understand the re-review process can take up to another 2 weeks to be approved.

Contractor/Responsible Party

Date



Planning, Building & Zoning Department
 210 Hwy. 17 South
 Surfside Beach, SC 29575

Phone: 843-913-6341
 Fax: 843-839-0057
www.surfsidebeach.org

ACCESSORY BUILDING PERMIT APPLICATION

A current survey is required for all accessory building structure permits. Other plans shall be determined by the Planning, Building & Zoning Director and or Code Official. See Section 17-408 for setback requirements.

***All garages shall meet the general setback requirements of the district that it is to be built in.**

PROPERTY STREET ADDRESS: _____ PIN# _____

OWNERS NAME: _____

OWNER'S ADDRESS: _____ CITY, STATE, ZIP: _____

CONTRACTOR'S NAME: _____ PHONE #: _____

CONTRACTOR'S MAILING ADDRESS: _____

CITY: _____ STATE: _____ ZIP: _____

CONTRACTOR'S EMAIL ADDRESS: _____

CONTRACTOR'S STATE LICENSE #: _____ TOWN BUSINESS LICENSE #: _____

VALUE OF CONSTRUCTION: \$ _____ (MUST INCLUDE LABOR, MATERIALS & PROFIT)

FLOOD INFORMATION: FLOOD ZONE: _____ ELEVATION CERTIFICATE SUBMITTED? _____

Any detached accessory structure, the cost of which is greater than three thousand dollars (\$3,000.00), must comply with the elevated structure requirements of subsections 14-18(2) and (5), or constructed completely of flood-resistant materials.

PROPOSED WORK: _____ Detached Garage/Carport _____ Storage Building

Gross square footage: _____ Height from Grade: _____ Location on property: _____

FILL CERTIFICATION (REQUIRED)

(REQUIRED) PURSUANT TO SC CODE SECTION 6-29-1145 is this tract or parcel by any recorded covenant that is contrary to, conflicts with or prohibits the activity described in this permit? YES _____ NO _____ NOT APPLICABLE _____

It is understood and agreed by the undersigned that the issuance of this permit grants the Code Enforcement Official(s) access to the property as listed above and it does not constitute a privilege to violate any town ordinance, codes or regulations and that any omission or misrepresentation of facts or changes from this application or permit without the approval of the Building & Zoning Department shall constitute sufficient grounds for revocation of any permits issued.

I further understand I have a right to appeal any decision made by the Planning, Building & Zoning Director and/or the Code Official regarding this application to the Board of Zoning Appeals and/or the Construction Board of Appeals, applications for appeals are located at the Planning, Building & Zoning Department or on our website at www.surfsidebeach.org Appeals must be submitted no more than 15 days after decision of the department. All permits are non-transferable and non-refundable.

Signature of Applicant

Date

Accessory buildings and uses in residential districts

Customary accessory buildings and uses in residential districts are permitted provided they are located in rear yards and not closer than five (5) feet to any property line, as measured from the closest point of the structure. Accessory buildings and uses shall also comply with the setback from the intersecting street and not cover more than twenty (20) percent of any required rear yard.

Accessory buildings in residential districts must be no greater than fifteen (15) feet in height when located less than ten (10) feet from the property line. Accessory buildings shall not exceed a maximum height of twenty-five (25) feet when located a minimum of ten (10) feet from the property line.

Exceptions:

- Swimming pools may be located in side yards and not closer than five (5) feet to any property line. Residential pools do not count toward lot coverage for zoning purposes.
- Private garages are permitted provided they observe the minimum yard setbacks for the district (see [section 17-303](#)) and they are located no closer to the front yard setback line than the principal structure. The garage is not to exceed eight hundred fifty (850) square feet or fifty (50) percent of the footprint of the principal residence. A garage area of four hundred (400) square feet is permitted regardless of the living area of the principal residence.

Accessory structures in Special Flood Hazard Areas. Any detached accessory structure used only for parking of vehicles and limited storage area are permitted at grade if the following criteria is met:

- a. **Accessory structures are prohibited in Coastal A or VE Flood Zones.**
- b. In SFHAs other than coastal high hazard areas (zone AE), they are not larger than one (1) story and six hundred (600) square feet in area. Walls must have openings in compliance with [section 14-18\(4\)a](#).
- c. Accessory structures shall be constructed of flood-resistant material below the base flood elevation and designed to have low flood damage potential in accordance with Technical Bulletin 2, Flood Damage Resistant Material Requirements;
- d. Accessory structures shall be constructed and placed on the building site so as to offer the minimum resistance to the flow of floodwaters;
- e. Accessory structures shall be firmly anchored to prevent flotation, collapse, or lateral movement of the structure;
- f. Service facilities such as electrical, mechanical and utility equipment shall be installed in accordance with subsection [14-17\(5\)](#);
- g. Accessory structures shall comply with town zoning regulations; and

Exception: Swimming pools shall be allowed meeting [section 14-17\(22\)](#) of this chapter.
Sec. 17-408.

Town of Surfside Beach

#1 – Stormwater Impervious Surface Calculations

Date: _____ Contractor/Owner _____

Property Address: _____ Building District: _____

1. Maximum Impervious Coverage per District: R-1 = 40% R-2 = 45% R3 = 50%

IMPERVIOUS SURFACE: Any material placed on or above the earth which substantially reduces or prevents the natural percolation of water. Examples include but are not limited to structures including roof, parking areas, driveways, sidewalks, patios, decks, sport courts and concrete pool decks.

Note: Approved pavers, manmade ponds and pools are **NOT CONSIDERED** impervious surfaces.

$$\text{Lot Width} \text{ _____ ft. } \times \text{Length} \text{ _____ ft. } = \frac{\text{_____ sq. ft.}}{\text{Lot Square Footage}} \times (.40, .45 \text{ or } .50) = \frac{\text{_____ sq. ft.}}{\text{Impervious Coverage Allowed}}$$

1a 1b

2. Impervious Surfaces

a) Lot area occupied by buildings:

b) Other impervious surfaces:

(Do not include surfaces in town right of way)

House _____ sq. ft.	Driveway _____ sq. ft.
Garage(s) _____ sq. ft.	Walkway(s) _____ sq. ft.
Porch(s) _____ sq. ft.	Concrete Patio(s) _____ sq. ft.
Shed(s) _____ sq. ft.	Stone Walls _____ sq. ft.
Covered Deck _____ sq. ft.	Concrete Pool Deck _____ sq. ft.
Covered Patio _____ sq. ft.	Other: _____ sq. ft.
Other Structures: _____ sq. ft.	Other: _____ sq. ft.
TOTAL 2a: _____ sq. ft. (Lot area occupied by buildings)	TOTAL 2b: _____ sq. ft. (Other impervious surfaces)

c) Total Impervious Coverage: Add 2a + 2b = _____ sq. ft.

Divide the above amount by the lot square footage to calculate the percentage of impervious coverage. **Total Impervious Percentage = _____**

I certify that all the forgoing information is accurate and that all work will be done in compliance with all applicable laws regulating construction and zoning.

Contractors/Owners Signature _____

Date _____

OFFICE USE ONLY

Approved Denied

NOTES: _____

**Town of Surfside Beach
Accessory Building Calculations**

Date: _____ Contractor/Owner _____

Property Address: _____ Building District: _____

Maximum Accessory Building Coverage: 20% of any required rear yard

Rear Lot Width _____ ft. x Rear Length _____ ft. = _____ sq. ft. x (.20) = _____ sq. ft.
(Rear Lot Square Footage) (Size of accessory building(s)/use(s) allowed)

Total Square Footage of Proposed Accessory building: _____

Total Square Footage of Existing Accessory buildings: _____

Total: _____

I certify that all the forgoing information is accurate and that all work will be done in compliance with all applicable laws regulating construction and zoning.

Contractors/Owners Signature

Date

OFFICE USE ONLY

Approved Denied

NOTES: _____



FILL COMPOSITION CERTIFICATION

I, _____ am the _____ contractor _____ approved agent for contractor _____ Owner
(Print full name)

For property located at (address): _____ TMS# or PIN# _____

THE PROPOSED SCOPE OF WORK IN CONNECTION WITH THIS PERMIT APPLICATION IS:

____ NEW SINGLE FAMILY RESIDENCE ____ NEW DUPLEX ____ NEW TOWNHOUSE
____ NEW COMMERCIAL ____ NEW MULTI-FAMILY OTHER: _____

NO FILL WILL BE ADDED TO PROPERTY

FILL IS PROPOSED/WILL BE ADDED TO THE ABOVE PROPOSED PROJECT

Section I **REQUIRED:** When fill is being placed on a lot in a Special Flood Hazard Area (SFHA).

An applicant shall prove through engineering analysis that fill is the only alternative to raising the building to at least three (3) feet above the base flood elevation, and that the amount of fill used will not affect the flood storage capacity or adversely affect adjacent properties.

- Fill used to support structures must be certified by a registered professional engineer for "designed and compacted fill" that meets the criteria of (1) Section 1803.5.8 and Section 1804.5 of the International Building Code, (2) Section 2.4 of ASCE 24, or (3) their equivalent); and must be on fill that has appropriate protection from erosion and scour.
- Fill slopes shall be no greater than two (2) horizontal to one (1) vertical. Flatter slopes may be required where velocities may result in erosion;
- The use of fill shall not increase flooding or cause drainage problems on neighboring properties.

Section II **REQUIRED:** Any lot in town located in Zone X, X shaded, or AE flood zones where fill has been added. (Coastal A and VE zones do not allow fill).

Non-commercial lots located in the X, X shaded and AE flood zones shall have an average grade of all adjacent lots. A foundation/current conditions survey shall be provided and approved prior to the foundation being poured or piers being filled prior to additional inspections being performed. Adjacent lot grades shall be measured at a minimum of 20 feet into all adjacent lots.

Definition: Fill dirt (also called clean fill, or just fill) is earthy material which is used to *fill in* a depression or hole in the ground or create mounds or otherwise artificially change the grade or elevation of real property.

This requirement shall not apply to Designated Coastal "A" Zones, V, and VE zones as no fill shall be allowed for structural support in these Special Flood Hazard Areas (SFHA). Only non-compacted fill may be used around the perimeter of a building for landscaping/aesthetic purposes provided the fill will wash out from storm surge, thereby rendering the building free of obstruction prior to generating excessive loading forces, ramping effects, or wave deflection. See Section 14-22 (6) for complete requirements.

I understand I am responsible for submitting the required paperwork from a SC Engineer as stated in Section I above *and* a "foundation/current conditions" survey as stated in Section II. I further understand the survey required in Section II must be submitted and approved prior to the foundation being poured or piers being filled.

Signature of responsible Party

Date

False statements made herein shall be punishable as a Misdemeanor